

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	"20060233137"	US-PGPUB; USPAT; USOCR	AND	OFF	2010/03/27 15:54
L3	311	(relay adj router)	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 15:57
L4	1	(relay adj router) with dynamic\$5 with switch\$3	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 17:34
L5	50	(relay adj router) with switch\$3	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 17:35
L6	4	((relay adj router) with switch\$3 same multicast \$3)	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 17:35
L7	4	((relay adj router) with switch\$3 same multicast \$3) compar\$3	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 17:35
L8	1	((relay adj router) with switch\$3 same multicast \$3) compar\$3 with path	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 17:36
L9	1	((relay adj router) with switch\$3 same multicast \$3) compar\$3 same path	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 17:36
L10	4	((relay adj router) with switch\$3 same multicast \$3) path	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 17:36
L11	0	(router with switch\$3 same multicast\$3) same (compar\$3 near2 path) same (select\$3 near2 path)	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 17:38
L12	1	(router with switch\$3 same multicast\$3) (compar \$3 near2 path) same (select\$3 near2 path)	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 17:38
L13	6	(router with switch\$3 same multicast\$3) (compar \$3 near2 path) (select\$3 near2 path)	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 17:39

L14	1	(router with dynamic\$5 with switch\$3) (router with multicast\$3) (compar\$3 near2 path) (select\$3 near2 path)	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 17:43
L15	6	(router with dynamic\$5 with switch\$3) (compar\$3 near2 path) (select\$3 near2 path)	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 17:44
L16	1	(router with dynamic\$5 with switch\$3) multicast\$3 (compar\$3 near2 path) (select\$3 near2 path)	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 17:44
L17	6	(router with switch\$3 same multicast\$3) (compar\$3 near2 path) (select\$3 near2 path)	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 17:44
L18	39	(router with switch\$3) (router with multicast\$3) (compar\$3 near2 path) (select\$3 near2 path)	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 18:06
L19	39	(router with switch\$3) (router with multicast\$3) (compar\$3 near2 path) ((select\$3 or choos\$3) near2 path)	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 18:20
L20	0	(router with dynamic\$3 with switch\$3) (router with multicast\$3) (compar\$3 near2 path) ((select\$3 or choos\$3) near2 path)	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 18:20
L21	1	(router with dynamic\$5 with switch\$3) (router with multicast\$3) (compar\$3 near2 path) ((select\$3 or choos\$3) near2 path)	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 18:20
L22	0	(router with dynamic\$5 with switch\$3 eith multicast\$3)	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 18:21
L23	20	(router with dynamic\$5 with switch\$3 with multicast\$3)	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 18:21
L24	5	(router with dynamic\$5 with switch\$3 with multicast\$3) (select\$3 or choos\$3) with path	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 18:22
L25	182	(router with switch\$3 with multicast\$3) (select\$3 or choos\$3) with path	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 18:23

L26	23	(router with switch\$3 with multicast\$3) ((select\$3 or choos\$3) with path) (compar\$3 with path)	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 18:24
L27	13	(router with switch\$3 with multicast\$3) ((select\$3 or choos\$3) near2 path) (compar\$3 with path)	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 18:25
L28	16	(router with switch\$3 same multicast\$3) ((select \$3 or choos\$3) near2 path) (compar\$3 with path)	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 18:30
L29	48	(router with dynamic\$5 with switch\$3 same multicast\$3)	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 18:38
L30	3	(router with dynamic\$5 near switch\$3 same multicast\$3)	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 18:38
L31	5	(router with dynamic\$5 near2 switch\$3 same multicast\$3)	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 18:39
L32	48	(router with dynamic\$5 with switch\$3 same multicast\$3)	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 18:39
L33	3	(router with dynamic\$5 near switch\$3) (router with multicast\$3)	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 18:40
L34	53	(router with dynamic\$5 near switch\$3)	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 18:41
L35	4	(router with dynamic\$5 near switch\$3) (handoff or handover) path	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 18:42
L36	1	"20020150094"	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 18:56
L37	1	(router with dynamic\$5 near switch\$3 same multicast\$3) (compar\$3 near2 path)	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 19:06
L38	1	(router with dynamic\$5 near switch\$3 same multicast\$3) ((select\$3 or choos\$3) near2 path)	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 19:07
L39	3	(router with dynamic\$5 near switch\$3 same multicast\$3)	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 19:07

L40	48	(router with dynamic\$5 with switch\$3 same multicast\$3)	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 19:08
L41	20	(router with dynamic\$5 with switch\$3 with multicast\$3)	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 19:08
L42	6	(router with dynamic\$5 near switch\$3) multicast\$3	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 19:11
L43	3	((compar\$3 near2 path)) ((select\$3 or choos\$3) near2 router with multicast \$3)	US-PGPUB; USPAT; USOCR	AND	ON	2010/03/27 19:32
L44	7373	370/331	US-PGPUB; USPAT; USOCR	AND	OFF	2010/03/27 21:08
S1	0	"10662379"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/02 12:55
S2	1	10/662379	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/02 12:55
S3	12080	handover	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/18 16:25
S4	134	handover same multipath	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/18 16:25
S5	40	optimal near2 (rout\$3 or point) with multicast\$3	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 10:37
S6	1	redundant near2 path (optimal near2 router with switch\$3)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 11:04
S7	1	redundant near2 path ((optimal near2 router) same switch\$3)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 11:04
S8	3	redundant ((optimal near2 router) same switch\$3)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 11:04
S9	19	optimal near2 (rout\$3 or point) with multicast\$3 @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 12:52
S10	20	(path near2 (data or information)) (shortest near path) (handover or handoff) multicast\$3 @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 13:15

S11	2	((path near2 (data or information)) (shortest near path) ((handover or handoff) same (multicast \$3 or multipath or multipath) same (mobile or wireless)) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 13:21
S12	16	((compar\$4 with path) hop ((choos\$3 or chose or select\$3) near3 router) multicast @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 13:56
S13	2	((compar\$4 near2 path) hop ((choos\$3 or chose or select\$3) adj2 router) multicast @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 14:03
S14	0	((compar\$4 or analyz\$3) with optimal with path) hop ((choos\$3 or chose or select\$3) adj2 router) multicast @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 14:05
S15	0	((compar\$4 or analyz\$3) with optimal with (path or rout\$3)) hop ((choos\$3 or chose or select\$3) adj2 router) multicast @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 14:06
S16	4	((compar\$4 or analyz\$3) adj3 (path or rout\$3)) hop ((choos\$3 or chose or select\$3) adj2 router) multicast @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 14:06
S17	19	((stop\$4 or cancel\$4) near3 multicast\$3) (remov \$3 with router) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 14:58
S18	0	((stop\$4 or cancel\$4) near3 multicast\$3) same (remov\$3 with router) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 14:59
S19	8	((stop\$4 or cancel\$4) near3 multicast\$3) (remov \$3 near2 router)) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 14:59

S20	194	multicast (request near3 (path or rout\$3)) ((terminat\$3 or end\$3 or stop\$4) near2 request) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 15:50
S21	6	multicast handover (request near3 (path or rout\$3)) ((terminat\$3 or end\$3 or stop\$4) near2 request) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 15:50
S22	4	multicast handover (request near3 (path or route or routing)) ((terminat\$3 or end\$3 or stop\$4) near2 request) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 15:51
S23	378	(request near3 (path or route or routing)) ((terminat\$3 or end\$3 or stop\$4) near2 request with (path or route or routing)) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	ON	2009/02/19 15:59
S24	215	(request near (path or route or routing)) ((terminat\$3 or end\$3 or stop\$4) near2 request with (path or route or routing)) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	ON	2009/02/19 15:59
S25	98	(request near2 (path)) ((terminat\$3 or end\$3 or stop\$4) near2 request with (path)) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	ON	2009/02/19 16:00
S26	39	(request near2 (path)) ((terminat\$3 or end\$3 or stop\$4) adj2 request with (path)) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	ON	2009/02/19 16:04
S27	1	"10914574"	US-PGPUB; USPAT; USOCR	AND	ON	2009/02/19 16:27
S28	19	2002/0150094	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/26 16:01
S29	1	"20020150094"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/26 16:01
S30	1	"20020001310"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/26 17:03
S31	2	"20020009073"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/26 17:10

S32	0	handover same ((shortest or optimal) near2 path) same (multicast)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 15:49
S33	47	handover same ((shortest or optimal) near2 path)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 15:49
S34	76136	(ID or identification) near2 (mobile or terminal or device)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 15:50
S35	28778	(multicast or multicast\$3)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 15:50
S36	1	S33 S34 S35	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 15:50
S37	308519	(ID or identification) with (mobile or terminal or device)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 15:50
S38	1	S33 S36 S35	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 15:51
S39	7	S33 S34	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 15:51
S40	0	S33 S34 @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 15:51
S41	65	(handover or multicast) with (cancel\$7 or stop\$4) with (request\$3) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 16:07
S42	146	(handover or multicast) with (copy\$3 near2 (information or data)) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 16:35
S43	23	(handover or multicast) (compar\$3 with path) same (router or tower) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 16:48
S44	1	(handover or multicast) (compar\$3 near2 path) same (router or tower) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 16:48
S45	0	(handover multicast) (compar\$3 near3 path) same (router or tower) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 16:55

S46	6	(handover or multipath or multicast\$) (compar\$3 near3 path) same (router or tower) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 16:55
S47	6	(handover or multipath or multicast\$3) (compar\$3 near3 path) same (router or tower) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 16:56
S48	21	(handover or multipath or multicast\$3) (compar\$3 near3 (path or route)) same (router or tower) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 16:57
S49	3	(handover) (multipath or multicast\$3) (compar\$3 near3 (path or route)) same (router or tower) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 16:58
S50	6	(multipath or multicast\$3) (compar\$3 adj3 (path or route)) same (router or tower) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 17:16
S51	0	(multipath or multicast\$3) (compar\$3 adj3 (path)) same (router or tower) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 17:17
S52	1	(multipath or multicast\$3) handover (compar\$3 adj3 (path)) (router or tower) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 17:17
S53	3	(multipath or multicast\$3) handover ((rat\$3 or compar\$3 or rank\$3 or analyz\$3) adj3 (path)) (router or tower) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 17:18
S54	181	(router near2 switch\$3) same (handover or multicast\$3) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 15:44
S55	0	(router near2 switch\$3) same (handover and multicast\$3) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 15:44
S56	3	(router near2 switch\$3) same (handover) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 15:44

S57	5	((router near2 switch\$3) same (multicast\$3)) handover @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 15:49
S58	12	((router with switch\$3) same (multicast\$3)) handover @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 15:52
S59	1	((switch\$3 adj router) same (multicast\$3)) handover @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 15:53
S60	1	((switch\$3 adj3 router) same (multicast\$3)) handover @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 15:53
S61	10	((switch\$3 adj3 router) (multicast\$3)) handover @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 15:54
S62	47	((switch\$3 adj3 router) (multicast\$3)) (handover or handoff) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 15:55
S63	0	((switch\$3 adj3 router) same (multicast\$3)) same (handover or handoff) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 15:56
S64	1737	ospf @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 16:08
S65	1590	ospf path @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 16:13
S66	59	(ospf with path) (handoff or handover) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 16:14
S67	59	(ospf with path) (handoff or handover) ((optimal or shortest) near3 path) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 16:16
S68	29	(ospf with path) (handoff or handover) ((optimal or shortest) near3 path) multicast @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 16:16
S69	22	(ospf with path) (handoff or handover) ((optimal or shortest) near3 path) cost multicast @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 16:20

S70	1	(ospf with path) (handoff or handover) ((optimal or shortest) near3 path) cost multicast algorithm (shortest near2 hop) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 16:45
S71	1	(ospf with path) (handoff or handover) ((optimal or shortest) near3 path) cost multicast algorithm (shortest near2 hop) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 16:45
S72	2	"20020080752"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 17:01
S73	0	((start\$3 near3 point) same router) (handoff or handover) ((optimal or shortest) near3 path) multicast @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 17:08
S74	14	((start\$3) same router) (handoff or handover) ((optimal or shortest) near3 path) multicast @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 17:08
S75	3	((start\$3) with point) (handoff or handover) ((optimal or shortest) near3 path) multicast @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 17:09
S76	0	((start\$3) near3 point) (handoff or handover) ((optimal or shortest) near3 path) multicast @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 17:10
S77	12	((start\$3) near3 point) (handoff or handover) (path) multicast @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 17:10
S78	4	((start\$3) adj3 point) (handoff or handover) (path) multicast @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 17:11
S79	0	(handoff or handover) same ospf same multicast @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 17:30
S80	5	((handoff or handover) same ospf) multicast @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 17:31

S81	8835	709/238	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 17:45
S82	152	370/299	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 17:51
S83	6180	370/229	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 17:51
S84	8835	709/238	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 17:51
S85	1	"20020167898"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/03/09 17:30
S86	241	(router with multicast with (wireless or mobile))	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:19
S87	960	(path with handover)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:19
S88	21909	(server with switch)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:20
S89	1	S86 S87 S88	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:20
S90	34709	(server same switch)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:20
S91	1	S86 S87 S90	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:20
S92	39643	(dynamic\$5 same switch)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:21
S93	16398	(dynamic\$5 with switch)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:21
S94	1	S86 S87 S93	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:21
S95	3612	((OSPF or path) same (handover or handoff))	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:21
S96	1	S86 S94 S95	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:21

S97	416	(router with multicast with (wireless or mobile or terminal))	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:22
S98	1	S97 S94 S95	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:22
S99	612	(router with multicast same (wireless or mobile or terminal))	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:22
S100	1	S97 S94 S99	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:22
S101	2	S95 S93 S99	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:23
S102	2577	(router with multicast)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:24
S103	13651	(mobile or wireless) with (handover or handoff)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:25
S104	38276	(server with switch\$3)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:25
S105	19	S102 S103 S104	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:25

3/ 27/ 2010 9:15:35 PM

C:\ Documents and Settings\ rscott\ My Documents\ EAST\ Workspaces\ 10662379.wsp